SAFETY DATA SHEET

According to Regulation (EU) No 2020/878

SECTION 1 IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product name	:	GOGONANO STAY DRY
Product code	:	005827
UFI	:	9300-Q0Q3-K00G-G0D6

1.2. Relevant identified uses of the substance or mixture and uses advised against

Application	:	SU21 Consumer product. PC34 Impregnation products for finished textiles and leather goods. Impregnating agent.

1.3. Details of the supplier of the safety data sheet

Supplier	:	GoGoNano OÜ Kose mnt 28-13 74310 Kehra, Estonia
Telephone	:	+37256470784
E-mail	:	info@gogonano.com
Website	:	https://www.gogonano.com

1.4. Emergency telephone number

EMERGENCY TELEPHONE NUMBER, for DOCTORS/FIRE BRIGADE/POLICE only:

EE - Telephone	:	+37256470784	(During office hours only)

SECTION 2 HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

CLP classification (1272/2008/EC)	:	Aerosols, category 1.

2.2. Label elements

Label elements ((EU) 1272/2008):

Hazard pictograms :

Signal word : Danger

H- and P-phrases :

H222	Extremely flammable aerosol.
H229	Pressurised container: May burst if heated.
EUH066	Repeated exposure may cause skin dryness or cracking.
P102	Keep out of reach of children.
P251	Do not pierce or burn, even after use.
P410+P412	Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P211	Do not spray on an open flame or other ignition source.

Labelling of packagings where the contents do not exceed 125 ml and it is technically impossible to list all phrases:

Hazard pictograms :

Signal word : Danger

H- and P-phrases :

H222	Extremely flammable aerosol.
H229	Pressurised container: May burst if heated.
EUH066	Repeated exposure may cause skin dryness or cracking.
P102	Keep out of reach of children.
P251	Do not pierce or burn, even after use.
P410+P412	Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P211	Do not spray on an open flame or other ignition source.

Additional labelling (for all packaging sizes)

: Caution: May be harmful on inhalation. Spray in short intervals and for short periods only. Large leather and fabric surfaces shall preferably be sprayed outdoors. Ventilate well after use. Keep out of reach of children.

2.3. Other hazards

Other information : The classification of this product is based on the non-aerosolised form of the mixture (on basis of section 1.1.3.7. of Regulation (EC) No 1272/2008). Does not contain PBT or vPvB substances in concentrations higher than 0,1%. Human health: This product does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Regulation (EU) 2017/2100 or Regulation (EU) 2018/605 at levels of 0.1% or higher. Environment: This product does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Regulation (EU) 2017/2100 or Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3 COMPOSITION / INFORMATION ON INGREDIENTS

3.2. Mixtures

Product description : Mixture.

Information on hazardous substances:

Substance name	Concentration (w/w) (%)	CAS nr.	EC number	Remark	REACH nr.
Butane	25 - < 50	106-97-8	203-448-7		
Hydrocarbons, C11-12, isoalkanes, < 2% aromatics	25 - < 50	-----	918-167-1		
Propane	10 - < 20	74-98-6	200-827-9		
(2-Methoxymethylethoxy)propanol	5 - < 10	34590-94-8	252-104-2	[1]	01-2119450011-60
Distillates (petroleum), hydro- treated light	1 - < 2,5	64742-47-8	265-149-8		
Isobutane	1 - < 5	75-28-5	200-857-2		
Isopentane	0,1 - < 1	78-78-4	201-142-8		
Ethane	0,1 - < 1	74-84-0	200-814-8		

Substance name	Hazard Class	H-phrases	Pictograms	
Butane	Flam. Gas 1A; Press. Gas	H220; H280	GHS02; GHS04	
Hydrocarbons, C11-12, isoalkanes, < 2% aromatics	Flam. Liq. 3; Asp. Tox. 1	H226; H304; EUH066	GHS02; GHS08	

Propane	Flam. Gas 1A; Press. Gas	H220; H280	GHS02; GHS04	
(2-Methoxymethylethoxy)propanol	-----	-----	-----	
Distillates (petroleum), hydro- treated light	Flam. Liq. 3; Asp. Tox. 1; Skin Irrit. 2; STOT SE 3; Aquatic Chronic 2	H226; H304; H315; H336; H411	GHS02; GHS07; GHS08; GHS09	
Isobutane	Flam. Gas 1A; Press. Gas	H220; H280	GHS02; GHS04	
Isopentane	Flam. Liq. 2; Asp. Tox. 1; STOT SE 3; Aquatic Chronic 2	H225; H304; H336; H411; EUH066	GHS02; GHS07; GHS08; GHS09	
Ethane	Flam. Gas 1A; Press. Gas	H220; H280	GHS02; GHS04	

[1] Non classified substance for which a legal or recommended limit value applies. Occupational exposure limit(s), if relevant, are listed in section 8.

Reference is made to chapter 16 for full text of each relevant H phrase.

SECTION 4 FIRST-AID MEASURES

4.1. Description of first aid measures

First aid measures

Inhalation : Move victim into fresh air. Consult a doctor if victim feels unwell.

Skin contact : Take off contaminated clothing. Wash off skin with plenty of water and soap before product dries up. Consult a doctor if irritation persists.

Eye contact : Wash out with (lukewarm) water. Remove contact lenses. Consult a doctor if irritation persists.

Ingestion : Aerosol or mist: Ingestion is unlikely to occur.

4.2. Most important symptoms and effects, both acute and delayed

Effects and symptoms

Inhalation : May cause headache, dizziness and a feeling of sickness. May cause irritation to respiratory airways and coughing.

Skin contact : Repeated exposure may cause skin dryness or cracking.

Eye contact : May cause stinging of eyes and redness.

Ingestion : Aerosol or mist: Ingestion is unlikely to occur.

4.3. Indication of any immediate medical attention and special treatment needed

Note to physicians : None known.

SECTION 5 FIRE-FIGHTING MEASURES

5.1. Extinguishing media

Extinguishing media

Suitable : Carbondioxide (CO_2). Foam. Dry chemical. Water fog.

Not suitable : Water jet. Use of heavy stream of water may spread fire.

5.2. Special hazards arising from the substance or mixture

Special exposure hazards : Aerosol may explode from internal pressure build-up when exposed to temperatures exceeding 50 °C. Do not expose emergency personnel to overheated aerosol containers. Water may be used to cool container and prevent explosion of the aerosol.

Hazardous thermal decomposition and combustion products	:	Carbon monoxide may be evolved if incomplete combustion occurs. Hydrogen fluoride . Fluorine .

5.3. Advice for firefighters

Special protective equipment for fire-fighters	:	Fight a fire where aerosols are involved from a protected position. Use adequate respiratory equipment in case of insufficient ventilation.

SECTION 6 ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions	:	Danger of slipping. Clean up spills immediately. Wear shoes with non-slip soles. Avoid contact with spilled or released material. Do not breathe vapours and/or spray. Keep away from sources of ignition — No smoking. Build up of highly flammable gasses involves an explosion risk. Vapours are heavier than air. Build up (of gasses) in low areas involves risk of suffocation.

6.2. Environmental precautions

Environmental precautions	:	Avoid release of product into sewers, surface water and/or ground water.
Other information	:	Notify authorities if any exposure to the general public or the environment occurs or is likely to occur.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up	:	Collect spilled material in containers. Absorb residues in sand or other inert material. Collect aerosol cans in an approved container. Do not pierce aerosols. Wash away remainder with plenty of water and soap.

6.4. Reference to other sections

Reference to other sections	:	See also section 8.

SECTION 7 HANDLING AND STORAGE

7.1. Precautions for safe handling

Handling	:	Handle in accordance with good occupational hygiene and safety practices in well-ventilated areas. Important: Pressurized container; protect from sunlight and do not expose to temperatures exceeding 50°C. Do not pierce or burn, even after use. Keep away from sources of ignition — No smoking. Do not spray on a naked flame or any incandescent material. Do not spray near fire, sources of heat or live electrical equipment. Electrostatic discharge may cause fire. Ensure electrical continuity by bonding and grounding (earthing) all equipment. Do not breathe spray. Do not breathe vapour. Avoid contact with eyes and unnecessary contact to skin. Avoid splashing. Wear protective clothing.

7.2. Conditions for safe storage, including any incompatibilities

Storage	:	Keep away from oxidizing agents. Keep frost-free, in a cool (< 35°), dry and well-ventilated place. Protect from sunlight and keep away from heat.
Recommended packaging	:	Not applicable.

7.3. Specific end use(s)

Use	:	Use only as directed.

SECTION 8 EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Occupational exposure limits : Occupational exposure limits have not been established for this product. Derived no-effect levels (DNEL) have not been established for this product. Predicted no-effect concentrations (PNEC) have not been established for this product.

Workplace exposure limits (mg/m³):

Chemical name	Country	TWA 8 hour (mg/m3)	STEL 15 min (mg/m3)	Comments	Source
Butane	GB	1450	1810	-	
		1450	1810		MAC: UK
Hydrocarbons, C11-12, isoalkanes, < 2% aromatics		1200	-	-	CEFIC-HSPA
Propane		1800	-		MAC: BG, PL, CH, SL, etc
(2-Methoxymethylethoxy)propanol	GB	308	-	Skin	
	EC	308	-	Skin	Directive 2000/39/EC
Distillates (petroleum), hydro- treated light		1200	-		CEFIC-HSPA
Isobutane		1900	2400		MAC: FI, BE, CH
Isopentane	GB	1800	-		
	EC	3000	-	-	Directive 2006/15/EG

Derived no-effect level (DNEL) for workers:

Chemical name	Route of exposure	DNEL, short-term		DNEL, long-term	
		Local effect	Systemic effect	Local effect	Systemic effect
(2-Methoxymethylethoxy)propanol	Dermal				283 mg/kg bw/day
	Inhalation				308 mg/m3
Isopentane	Inhalation				3000 mg/m3
	Dermal				432 mg/kg bw/day

Derived no-effect level (DNEL) for consumers:

Chemical name	Route of exposure	DNEL, short-term		DNEL, long-term	
		Local effect	Systemic effect	Local effect	Systemic effect
(2-Methoxymethylethoxy)propanol	Dermal				121 mg/kg bw/day
	Inhalation				37,2 mg/m3
	Oral				36 mg/kg bw/day
Isopentane	Inhalation				643 mg/m3
	Dermal				214 mg/kg bw/day
	Oral				214 mg/kg bw/day

Predicted no-effect concentration (PNEC):

Chemical name	Route of exposure	Fresh water	Marine water	
(2-Methoxymethylethoxy)propanol	Water	19 mg/l	1,9 mg/l	
	Sediment	70,2 mg/kg	7,02 mg/kg	
	Intermittent water			190 mg/l
	STP			4168 mg/l
	Soil			2,74 mg/kg

8.2. Exposure controls

Engineering measures : Use only in well-ventilated areas. Comply with standard precautionary measures for working with chemicals.

Hygienic measures : When using do not eat, drink or smoke.

Personal protective equipment:

The efficiency of personal protective equipment depends among other things on temperature and degree of ventilation. Always get professional advice for the particular local situation.

Body protection	:	Use of specific protective industrial clothing is not required under normal conditions of use. In case of large scale exposure wear suitable protective clothing, overalls or suit, and similar boots. Suitable material: nitril. Indication of permeation breakthrough time: 6 hours.
Respiratory protection	:	Take care of sufficient ventilation. Wear suitable respiratory protection in case of large scale exposure. Suitable: gas filter type A (brown), class I or higher on e.g. a facemask in accordance with EN 140.
Hand protection	:	Under normal conditions of use specific gloves are not required. Wear appropriate gloves in case of frequent or prolonged use and in case of large scale exposure. Suitable material: nitril. ± 0,5 mm. Indication of permeation breakthrough time: 6 hours.
Eye protection	:	Wear appropriate safety glasses when there is danger of possible eye contact.
Environmental exposure controls	:	Avoid release to the environment.

SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Physical state	:	Aerosol.	
Colour	:	Colourless.	
Odour	:	Characteristic.	
Odour threshold	:	Not known.	
pH	:	Not applicable.	Waterfree product.
Solubility in water	:		Active ingredients not soluble. Propellant(s) not soluble.
Partition coefficient (n-octanol/water)	:	Not known.	Not measured. Not relevant for mixtures.
Flash point	:	Not applicable.	Not measurable.
Flammability	:	Extremely flammable aerosol.	Contains ≥ 85% flammable components and has a heat of combustion ≥ 30 kJ/g.
Auto ignition temperature	:	Not applicable.	Aerosol container explodes before reaching the auto-ignition point.
Boiling point/boiling range	:	Not known.	Not measurable.
Melting point/melting range	:	< -20 °C	
Explosive properties	:		Pressurised container: May burst if heated.
Explosion limits (% in air)	:	Not known.	Lower explosion limit in air (%): 0,6 (Hydrocarbons, C11-12, isoalkanes, < 2% aromatics)
	:		Upper explosion limit in air (%): 14 ((2-Methoxymethylethoxy)propanol)
Oxidising properties	:	Not applicable.	Does not contain oxidizing substances.
Decomposition temperature	:	Not applicable.	Aerosol explodes before reaching the decomposition temperature.
Viscosity (20°C)	:	Not known.	Not measurable.
Viscosity (40°C)	:	Not known.	Not measurable.
Relative vapour density	:	Not known	(air = 1)
Relative density (20°C)	:	0,62 g/ml	
Particle characteristics	:	Not applicable.	Liquid.

9.2. Other information

Other information	:	Not relevant.

SECTION 10 STABILITY AND REACTIVITY

10.1. Reactivity

Reactivity	:	See sub-sections below.

10.2. Chemical stability

Stability : Stable under normal conditions.

10.3. Possibility of hazardous reactions

Reactivity : No other hazardous reactions known.

10.4. Conditions to avoid

Conditions to avoid : Keep away from sources of ignition and sources of heat. See section 7.

10.5. Incompatible materials

Materials to avoid : Not applicable.

10.6. Hazardous decomposition products

Hazardous decomposition products : Not known.

SECTION 11 TOXICOLOGICAL INFORMATION

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

No toxicological research has been carried out on this product.

Inhalation

- Acute toxicity : Calculated LC50: > 10 mg/l. Ingredients of unknown toxicity: < 1 %. ATE: > 5 mg/l. Low toxicity. Not classified - based on available data, the classification criteria are not met. May cause headache, dizziness and a feeling of sickness.
- Corrosion/irritation : May cause irritation to respiratory airways and coughing. Not classified - based on available data, the classification criteria are not met.
- Sensitisation : Does not contain substances classified as respiratory sensitiser. Not classified - based on available data, the classification criteria are not met.
- Carcinogenicity : Not expected to be carcinogenic. Not classified - based on available data, the classification criteria are not met.
- Mutagenicity : Not expected to be mutagenic. Not classified - based on available data, the classification criteria are not met.

Skin contact

- Acute toxicity : Calculated LD50: > 5000 mg/kg.bw. Ingredients of unknown toxicity: < 1 %. ATE: > 5000 mg/kg.bw. Low toxicity. Not classified - based on available data, the classification criteria are not met.
- Corrosion/irritation : Slight irritation possible. Repeated exposure may cause skin dryness or cracking. Prolonged contact may dry out and defat the skin. Not classified - based on available data, the classification criteria are not met.
- Sensitisation : Does not contain skin sensitisers. Not classified - based on available data, the classification criteria are not met.
- Mutagenicity : Not expected to be mutagenic. Not classified - based on available data, the classification criteria are not met.

Eye contact

- Corrosion/irritation : Slight irritation possible. Not classified - based on available data, the classification criteria are not met.

Ingestion

- Acute toxicity : Aerosol or mist: Ingestion is unlikely to occur. Calculated LD50: > 815 mg/kg.bw. Ingredients of unknown toxicity: < 1 %. ATE: > 2000 mg/kg.bw. Low toxicity. Not classified - based on available data, the classification criteria are not met.
- Target organ toxicity (SE) : No specific effects and/or symptoms are known. Not classified - based on available data, the classification criteria are not met.
- Target organ toxicity (RE) : No specific effects and/or symptoms are known. Not classified - based on available data, the classification criteria are not met.

Aspiration	:	Aerosol or mist: Ingestion is unlikely to occur. Not classified - based on available data, the classification criteria are not met.
Corrosion/irritation	:	Aerosol or mist: Ingestion is unlikely to occur. May cause a feeling of sickness, stomachache, vomiting and diarrhoea.
Carcinogenicity	:	Aerosol or mist: Ingestion is unlikely to occur. Not expected to be carcinogenic. Not classified - based on available data, the classification criteria are not met.
Mutagenicity	:	Aerosol or mist: Ingestion is unlikely to occur. Not expected to be mutagenic. Not classified - based on available data, the classification criteria are not met.
Reprotoxicity	:	Aerosol or mist: Ingestion is unlikely to occur. Development: Not expected to be reprotoxic. Development: Not classified - Based on available data, the classification criteria are not met. Fertility: not expected to be reprotoxic. Fertility: Not classified - based on available data, the classification criteria are not met.

Toxicological information:

Chemical name	Property		Method	Test animal
Hydrocarbons, C11-12, isoalkanes, < 2% aromatics	LD50 (oral) - estimate	> 5000 mg/kg bw	OECD 401	Rat
	LD50 (dermal) - estimate	> 5000 mg/kg bw	OECD 402	Rabbit
	LC50 (inhalation) - estimate	> 5000 mg/m3	OECD 403	Rabbit
	Skin irritation	Non-irritant	OECD 404	-----
	Mutagenicity	Not mutagenic		
	Skin sensitisation	Not sensitizing		
	NOAEL (development, oral)	Not teratogenic		
	NOAEL (fertility, oral)	Not reprotoxic		
	NOEL (carcinogenicity, oral)	Not carcinogenic	OECD 453	

11.2. Information on other hazards

Endocrine disrupting properties	:	This product does not contain components considered to have endocrine disrupting properties at levels of 0.1% or higher.
Other information	:	Not applicable.

SECTION 12 ECOLOGICAL INFORMATION

12.1. Toxicity

No ecotoxicological research has been carried out on this product.

Ecotoxicity	:	Calculated LC50 (fish): 76 mg/l. Calculated EC50 (waterflea): 59 mg/l. Contains 0 % of components with unknown hazards to the aquatic environment. Not classified - based on available data, the classification criteria are not met. May form an oil film on the water surface causing a decline in oxygen content with possible adverse effects for aquatic organisms.

12.2. Persistence and degradability

Persistence – degradability	:	No specific information known.

12.3. Bioaccumulative potential

Bioaccumulative potential	:	No specific information known.

12.4. Mobility in soil

Mobility	:	Not applicable

12.5. Results of PBT and vPvB assessment

PBT/vPvB assessment : Does not contain PBT or vPvB substances in concentrations higher than 0,1%.

12.6. Endocrine disrupting properties

Endocrine disrupting properties : This product does not contain components considered to have endocrine disrupting properties at levels of 0.1% or higher.

12.7. Other adverse effects

Other adverse effects : Not applicable.

SECTION 13 DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Product residues : Recyclable metal container. Do not puncture or burn even after use. Do not dispose empty pack with waste produced by households. Containers may be recycled. Treat product residues and non-empty pack as hazardous waste.

Additional warning : Residues may cause an explosion hazard. Do not puncture, cut or weld uncleaned drums.

Waste water discharge : Do not dispose of into the environment, drains, sewers or water courses.

European waste catalogue : Dispose hazardous waste in accordance with Directive 91/689/EEC under acknowledgement of a waste code according to Commission Decision 2000/532/EC to an official chemical waste depot.

Local legislation : Disposal should be in accordance with applicable regional, national, and local laws and regulations. Local regulations may be more stringent than regional or national requirements and must be complied with.

SECTION 14 TRANSPORT INFORMATION

14.1. UN number or ID number

UN nr. : UN 1950

14.2. UN proper shipping name

Transport name : AEROSOLS

Transport name (IMDG, IATA) : AEROSOLS

14.3/14.4/14.5. Transport hazard class(es)/Packing group/Environmental hazards

ADR/RID/ADN (road/railway/inland waterways)

Class : 2

Classification code : 5F

Packaging group : -

Danger label : 2,1

Tunnel restriction code : D/E

:

Other information : Not intended for carriage by tank-vessels on inland waterways.

IMDG (sea)

Class : 2,1

Packaging group : -

EmS (fire / spill) : F - D / S - U

Marine pollutant : No

IATA (air)
- Class : 2
- ERG code : 10L

14.6. Special precautions for user

Other information : Country specific variations may apply. It is possible that a "Limited Quantity" exemption applies to the transport of this product.

14.7. Maritime transport in bulk according to IMO instruments

Marpol : Not intended to be carried in bulk according to International Maritime Organisation (IMO) instruments. Packaged liquids are not considered bulk.

SECTION 15 REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Community regulations : Regulation (EU) No 2020/878 (REACH), Regulation (EC) No 1272/2008 (CLP), 75/324/EEC (aerosols) and other regulations. Directive 2008/98/EC (waste).
: This product is exempted from classification as "May be fatal if swallowed and enters airways" on basis of section 3.10.1.6.3. of Annex I of Regulation (EC) No 1272/2008.

PIC Regulation : Does not contain substances listed on the PIC list (Regulation EU 649/2012).
POP Regulation : Does not contain substances listed on the POP list (Regulation EU 2019/1021).
Ozone Regulation : Does not contain substances listed on the Ozone Depletion list (Regulation EU 1005/2009).
Explosives Precursors Regulation : Does not contain substances listed on the Explosives Precursors list (Regulation EU 2019/1148).
Drug Precursors Regulation : Does not contain substances listed on the Drug Precursors list (Regulation EC 273/2004).

SEVESO III Directive 2012/18/EU
- Hazard code : P3a
- Hazard category : Flammable aerosols
- Qualifying quantity (tonnes) - lower : 150 (net)
- Qualifying quantity (tonnes) - upper : 500

Other information : Caution: May be harmful on inhalation. Spray in short intervals and for short periods only. Large leather and fabric surfaces shall preferably be sprayed outdoors. Ventilate well after use. Keep out of reach of children.
: In the UK it is recommended that all aerosols should be labelled on the back with the warning about the dangers of volatile solvent abuse. The label should contain the badge ‘Solvent Abuse Can Kill Instantly’ accompanied by the phrase ‘Use only as directed’.

15.2. Chemical safety assessment

Chemical safety assessment : A Chemical Safety Assessment has not been carried out.

SECTION 16 OTHER INFORMATION

16.1. Other information

The information in this safety data sheet is compiled in compliance with Regulation (EU) No 2020/878 dated 18 June 2020 and accurate to the best of our knowledge and experience at the date of issue specified. It is the user’s obligation to use this

product safely and to comply with all applicable laws and regulations concerning the use of the product. This safety data sheet complements the technical information sheets but does not replace them and offers no warranty with regard to product properties.

Users are also forewarned for any hazards involved when the product is used for other purposes than those for which it is designed.

Changed or new information with regard to the previous release is indicated with an asterisk (*).

List of abbreviations and acronyms that could be used (but not necessarily are used) in this safety data sheet:

ADR	:	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	:	Acute Toxicity Estimate
CLP	:	Classification, Labeling & Packaging
CMR	:	Carcinogenic, Mutagenic or toxic for Reproduction
EEC	:	European Economic Community
GHS	:	Globally Harmonized System of Classification and Labelling of Chemicals
IATA	:	International Air Transport Association
IBC code	:	The IMO International Code for construction and equipment of ships carrying dangerous chemicals in bulk.
IMDG	:	International Maritime Dangerous Goods Code
LD50/LC50	:	Lethal Dose/Concentration for 50% of a population
MAC	:	Maximum Allowable Concentration
MARPOL	:	International Convention for the Prevention of Pollution From Ships
NO(A)EL	:	No Observed (Adverse) Effect Level
OECD	:	Organisation for Economic Co-operation and Development
PBT	:	Persistent, Bioaccumulative and Toxic
PC	:	Chemical product category
PIC	:	The Prior Informed Consent procedure for the import and export of certain hazardous chemicals and pesticides.
POP	:	Persistent organic pollutants
PT	:	Product type
REACH	:	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	:	Regulations concerning the International Carriage of Dangerous Goods by Rail
STP	:	Sewage Treatment Plant
SU	:	Sector of Use
TWA/STEL	:	Time-Weighted Average/Short Term Exposure Limit
UN	:	United Nations
UFI	:	Unique formula identifier
VOC	:	Volatile Organic Compounds
vPvB	:	Very Persistent and Very Bioaccumulative

Key data used to compile the Safety Data Sheet are from, but not limited to, one or more sources of information e.g. toxicological data from material suppliers, CONCAWE, IFRA, CESIO, Regulation EG 1272/2008, etc.

Procedure used to derive the classification according to Regulation (EC) No. 1272/2008:

Aer. 1	:	Expert judgement.

Full text of hazard classes mentioned in section 3:

Flam. Gas 1	:	Flammable gas, category 1.
Flam. Liq. 2	:	Flammable liquid, category 2.
Flam. Liq. 3	:	Flammable liquid, category 3.
Skin Irrit. 2	:	Skin irritation, category 2.
STOT SE 3	:	Specific target organ toxicity after single exposure, category 3.
Asp. Tox. 1	:	Aspiration hazard, category 1.
Aquatic Chronic 2	:	Hazardous to the aquatic environment — Chronic category 2.

Full text of H-phrases mentioned in section 3:

H220	Extremely flammable gas.
H225	Highly flammable liquid and vapour.
H226	Flammable liquid and vapour.
H280	Contains gas under pressure; may explode if heated.

H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H336	May cause drowsiness or dizziness.
H411	Toxic to aquatic life with long lasting effects.
EUH066	Repeated exposure may cause skin dryness or cracking.

Advice on any training appropriate for workers: none.

Country / Language code : EC / EN
Number format : "," used as decimal separator.

End of safety data sheet.